



Foodservice Establishment Inspection Report

Establishment Information	
Facility Name CLARK ON STATE	Facility Type Not Engaged in Food Processing
Facility ID # ASTS-8S6NN3	Facility Telephone # 608 785-1913
Facility Address 1914 STATE RD LA CROSSE , WI 54601	
Licensee Name MEMO PETROLEUM LLC	Licensee Address 1914 STATE RD LA CROSSE , WI 54601

Inspection Information		
Inspection Type Routine	Inspection Date 03/14/2016	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walk-in cooler	42
chest freezers	-4.5
Reach in freezer	.5

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
4 compartment sink	chemical			Chlorine		

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
Total # 0

Comments
Menu review and risk assessment conducted. Discussed ice cream freezer and it frost accumulation.

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

inderyas chiraghdin

Sanitarian

Aron Newberry
(608) 785-9730