



Retail Food Establishment Inspection Report

Establishment Information	
Facility Name LA CROSSE CLUB, THE	Facility Type Tavern
Facility ID # ASTS-8T9K2V	Facility Telephone # 608 784-0220
Facility Address 250 HARBORVIEW PL LA CROSSE , WI 54601-4000	
Licensee Name THE LA CROSSE CLUB LTD	Licensee Address 250 HARBORVIEW PLAZA LA CROSSE , WI 54601

Inspection Information		
Inspection Type Routine	Inspection Date January 23, 2017	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Back bar coolers	37, 38, 38
reach-in cooler	39
reach-in freezer	10

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
4 compartment sink	chemical	-	300	Diversey Final Step	QA	

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
Total # 0

Comments
No violations noted at inspection. Contact Sam (785-9732) with questions. Provide independent thermometers in new coolers and monitor temperatures. Risk assessment and menu review conducted at inspection.

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Debbie Hosch

Sanitarian

Samuel Welch
(608) 785-9732