

LA CROSSE COUNTY
HEALTH DEPARTMENT
Environmental Health Division



STATE OF WISCONSIN
Bureau of Environmental and
Occupational Health
s. 97.30, s. 254.61, Subchapter
VII, Wis. Stats.

Foodservice Establishment Inspection Report

Establishment Information	
Facility Name STATE ROOM	Facility Type Restaurant
Facility ID # BHEP-82BKMS	Facility Telephone # 608 785-7666
Facility Address 128 3RD ST N LA CROSSE, WI 54601	
Licensee Name STATE ROOM LA CROSSE LLC	Licensee Address 731 SHELLY LN ONALASKA, WI 54650

Inspection Information		
Inspection Type Routine	Inspection Date February 24, 2015	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pizza freezer	-8
Refrigeration	31.5, 32

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3 compartment sink	Chemical		50	Chlorine	

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.


Observed Violations
<p>Total # 1</p> <p>Good Retail Practices - 46 - Warewashing facilities: installed, maintained, & used: test strips REPEAT OBSERVATION: A chlorine test kit is not available for checking sanitizer concentrations. Bar sinks use BTF chlorine sanitizer. CORRECTIVE ACTION(S): Provide a test kit or other device for measuring the concentration of sanitizing solutions. Correct By: 24-Mar-2015 CODE CITATION: 4-302.14 A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions shall be provided. [Pf]</p>

Comments

1. Facility only serves frozen pizza and chips. Lloyd's pizza.

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge



Sanitarian



Nicole Frankfourth
(608) 785-9731