

Covid-19 Business Toolkit:

Preparing to Reopen Safely, Responsibly and Confidently

April 29, 2020

Please call 608-785-9771 (direct line) or email covid19@lacrossecounty.org with any questions.

This document provides businesses with guidance on preparing for the loosening of restrictions put on business operations. The timeline for gradual business reopening must be determined using public health data reflecting the number of cases, the level of access to testing, level of PPE available for first responders and healthcare workers, hospital readiness, and capacity for local contract tracing. Local and state orders regarding the phased re-opening of businesses must be followed.

This document may be updated as new guidance comes out. Please visit <u>lacrossecounty.org/covid19</u> for the latest version.

This document is guidance to assist businesses in taking actions to prevent the facility from being an environment where transmission occurs. Following this guidance is not mandated unless it aligns with state, local and federal laws and regulations.

This toolkit has some adaptations utilizing La Crosse County, Pierce County, and Eau Claire County's business toolkit. Thank you to Pierce County and Eau Claire City/County Health Department for sharing your work with other counties for adaptation.

Contents

Tool 1: La Crosse County Public Health Department COVID-19 Checklist for Businesses	3
Tool 2: Safety in an Office Space Checklist	
Tool 3: Safety in a Retail Space Checklist	5
Tool 4: Recommended Elements of Sick Policy	
Tool 5: Sample Sick Policy	6
Tool 6: Quarantine and Isolation Algorithm	6
Tool 7: Sample Active Monitoring System	9
How to Implement	9
Recommended Questions	9
Tool 8: Strategies to Limit Traffic Flow	10
Tool 9: Sample Handwashing Policy	10
Tool 10: Recommendations for Designated Shopping Hours	12
Tool 11: Recommendations for Employees Considered for Re-assignment	12
Tool 12: Considerations for Handling Symptomatic Customers	12
Tool 13: Sample Disinfection Practices	13
Tool 14: Considerations for Use of Masks by Employees	16

	Tool 1: La Crosse County Health Department COVID-19 Checklist for Businesses			
Priority	Customer Service Protocol and Procedures	Tool	Target Date	Completed
1	Develop a clear, written protocol regarding sick leave for employees.	Tool 4: Recommended		
	Develop and implement an active monitoring program that assesses staff for exposure, fever and respiratory symptoms before every shift.	Elements of Sick Policy Tool 5: Sample Sick Leave Policy		
2		Tool 6: Quarantine and Isolation Algorithm		
		Tool 7: Sample Active Monitoring System		
3	Develop a policy that limits the number of customers in the store at any one time	Tool 8: Strategies to Limit		
4	Place tape on floor to keep 6-foot distancing in high traffic areas in the store, especially at cash register.	<u>Traffic Flow</u>		
5	Increase frequency of <u>cleaning</u> , <u>sanitizing</u> , <u>and disinfecting</u> your facility. Wipe down high-touch surfaces at cash registers between customers (credit card touch pad, carts, baskets, conveyer belt, etc.).	Tool 13: Sample Disinfection Practices		
6	Schedule handwashing for employees. Post the schedule in breakroom(s), bathrooms, and common areas; and send it out to employees via email.	Tool 9: Sample Hand-Washing Policy		
7	Implement a no-touch policy for all staff members (no handshakes, hugs, or other close contact).			
8	Place hand sanitizer at each cash register for use by staff members, if available.			
9	Develop a policy that designates shopping hours for customers at risk for severe disease.	Tool 10: Recommendations for Designated Shopping Hours		
10	Consider temporarily assigning employees at high risk for coronavirus to non-public-contact duties.	Tool 11: Recommendations for Employees Considered for Re-assignment		
11	Develop policy encouraging employees to be on the lookout for customers exhibiting symptoms of COVID-19 and how you would like them to handle that situation.	Tool 12: Considerations for Handling Symptomatic Customers		
12	Increase availability/promotion of curb-side pickup if applicable. Consider increasing or offering a delivery service.			
13	Implement protocols for employees to wear face coverings (masks). Highly recommended for customer service staff or those in high traffic areas.	Tool 14: Considerations for Mask Use by Employees		
14	Develop communication materials (flyers, posts, emails, etc.) regarding changes that are proactive and clearly explains the reasons for these changes.			
15	Require vendors to wash or sanitize their hands immediately upon entering the store.			

Tool 2: Safety in an Office Space Checklist

SAFETY IN AN OFFICE SPACE

AT THE ENTRANCE:

	Ensure employees are screening themselves for symptoms before entering the building, and not coming to work if they are having any symptoms
	Post signage reminding employees and visitors of the symptoms of COVID-19
	Restrict the number of employees present on premise to no more than is strictly necessary to perform essential operations
	Provide tape or other means of marking on the floor to show people where to stand if you have a reception area
	Promote flexible/remote work schedules to reduce the number of employees in the office at any given time
	Disinfect high touch surfaces like door handles, light switches, and restrooms frequently using an EPA approved disinfectant effective against COVID-19
	Eliminate self-serve water, coffee, and candy dishes
RECEIN	/ING DELIVERIES:
	If providing delivery services or receiving deliveries, utilize no contact strategies to avoid unnecessary face to face contact (no door to door sales)
	Limit and/or designate areas that packages and mail can be dropped off minimizing the number of delivery drivers coming into your office space
THROL	JGHOUT THE OFFICE:
	Spread out workstations so employees can remain 6 feet apart at alltimes
	Limit shared equipment/electronics like phones, computers, etc. and disinfect between employeeuse
	Minimize contact between employees
	o Limit/eliminate in person meetings, use ZOOM, Skype, or other means of meeting that are not in person
	o No hand shaking, high fives, other direct person to person contact
	Provide hand sanitizer stations
	Send sick employees home immediately, and disinfect their work area
IN SHA	ARED SPACES:
	Ensure handwash sinks in break rooms and restrooms are always stocked with soap and disposable paper towel
	Remove extra chairs and tables in breakroom to allow people to remain 6 feet apart when possible
	Disinfect high touch surfaces in these areas frequently

□ Discontinue shared snacks or potluck style food activities

Tool 3: Safety in a Retail Space Checklist

SAFETY IN A RETAIL SPACE

ΔΤ	TH	F FI	NTR	ΔN	CF.

		Post signage reminding customers and employees to check for symptoms and do not come into the store if they are sick				
		Provide hand sanitizer/sanitizer wipes for wiping cart handles				
		Maintain secondary exits accessible in case of emergency				
		Encourage curbside pick up				
		0	For stores with less than 50,000 sq. ft. of customer floor space, limit the number of people in the store (including employees) to 25% of the total occupancy			
		0	For stores more than 50,000 sq. ft. of customer space, limit the number of customers in the store at one time (excluding employees) to 4 people per 1,000 square feet of customer floor space			
			 Offer at least two hours per week of dedicated shopping time for vulnerable populations (people 			
			over 60, pregnant women, and those with chronic conditions like heart disease, diabetes, and lung disease)			
		0	Establish lines to regulate entry in accordance with the above occupancy restrictions with markings for patrons to enable them to stand at least six feet apart from each other while waiting (consider alternatives to lines such as allowing customers to wait in their cars for a text or call when it's their turn to enter)			
THR	ου		HE STORE:			
			arrows encouraging one-way traffic up and down store aisles			
			tape or other means of marking on the floor to show customers where to stand when waiting in high traffic t the deli or post office counter)			
		Use PA system to message social distancing and shopper safety to customers				
		Provide hand sanitizer stations				
		Minimize contact between employees and customers and maintain social distance amongst employees as well				
		Discourage employees from sharing phones, desks, offices, or equipment/tools they need to do their jobs (disinfect between use when shared equipment is required)				
		Allow er	mployees to wear face covering if they choose			
		Ensure 6	employees are screening themselves for symptoms before entering the building, and throughout their work			
		-	k employees home immediately, and disinfect their work area			
			ge curbside pick up			
AT T	ΉE	CHECK-O	UT:			
		Use mar	kings on the floor or footprint graphic (attached or on website) to show customers where to stand			
		Use eve	ry other check-out lane			
			t high touch surfaces as often as possible (key-pads, pens, conveyor belts) with an EPA approved tant effective against COVID-19			
			hand sanitizer to employees to use between customers			
			hysical barriers such as clear, plastic sneeze shields			

IN SHARED SPACES:

- ☐ Ensure handwash sinks in break rooms and restrooms are always stocked with soap and disposable papertowel
- □ Remove extra chairs and tables in breakroom to allow people to remain 6 feet apart when possible
- □ Disinfect high touch surfaces in these areas frequently

Tool 4: Recommended Elements of Sick Policy

During the COVID-19 pandemic, essential businesses should reduce the risk of virus transmission between staff and customers. One of the most critical elements of this process is implementing a strict sick policy, designed to identify staff members at risk of having COVID-19 based on their symptoms, exposure status, and/or travel history. Staff members should be informed of the policy and told how about the conditions under which they should not report to work, which should include:

- Have fever or respiratory symptoms
- Live in a household with someone exhibiting fever or respiratory symptoms who either has not been tested for COVID-19 or tested positive for COVID-19
- Has had direct contact with a laboratory-confirmed positive case
- Has recently traveled to a "viral hotbed" where there is "widespread sustained community spread" of COVID-19

Tool 5: Sample Sick Policy

A sample policy is provided below:


[BUSINESS NAME] is fully committed to safeguarding the health and safety of all staff and customers. For this reason, effective immediately, [BUSINESS NAME] enacts the following policy applicable to all staff members, regardless of position or authority:

- All staff members will complete a "daily active monitoring" form regarding any symptoms they may have. This form must be completed at the beginning of every shift.
- Staff members who have any symptoms of fever OR respiratory illness will not be allowed to work.
- Staff members living in a household where individual member(s) have symptoms who have not been tested for COVID-19 or who tested positive for COVID-19 will not be present in the workplace.
- Staff members who have recently traveled from a "viral hotbed" will not be allowed to return to work until 14 days after the most recent travel.

Tool 6: Quarantine and Isolation Algorithm

The La Crosse County Health Department has often been asked for case-by-case guidance on whether employees should be allowed to work based on symptoms that they experience, exposures they may have in their households, and travel history. To standardize our responses to this question, we developed and utilize a "quarantine and isolation algorithm" that guides our recommendations regarding when someone can return to regular activity (including work). We are providing a copy of this algorithm to assist businesses in making determinations for staff, provided on the next two pages.

PLEASE NOTE: If you determine that a staff member should be in isolation or quarantine, we would appreciate it if you reached out to the La Crosse County Health Department to notify us.



NOTE: QUARANTINE means that you remain at home and do not go into the community. Others should drop off items you need if at all possible. Monitor yourself for symptoms twice daily. If you develop symptoms, isolate yourself. If symptoms are severe, call ahead to seek medical care.

- * Symptoms of COVID-19 include fever (100.0 or higher), cough, sore muscles, excess fatigue, shortness of breath, difficulty breathing, loss of smell/taste, and in rare instances, stomach upset.
- ** Close contact is defined by CDC as: (1) being within approximately 6 feet of a COVID-19 case for a prolonged period of time; can occur while caring for, living with, visiting, or sharing a health care waiting area or room with a COVID-19 case or (2) having direct contact with infectious secretions of a COVID-19 case (e.g., being coughed on).
- ^ Frontline Workers include public health workers, healthcare workers, long-term care and assisted living facility workers, emergency management/EMS, fire, first response, police, daycare workers, and grocery stocking staff.
- ^^ Viral hotbed includes those where there is "widespread sustained community spread." As of 1 May 2020, this includes:

International Locations **Domestic Locations** ANY Cruise Wisconsin Counties: Nebraska China Peru Arizona Europe (including Italy) Nevada Arkansas Philippines Brown County, WI New Hampshire United Kingdom California Oatar Dane County, WI Colorado New Jersey Ireland Romania Kenosha County, WI New Mexico Iran Connecticut Russia Milwaukee County, WI Delaware New York Australia Saudi Arabia Ozaukee County, WI North Carolina Brazil Florida Singapore Racine County, WI Canada South Africa Georgia Oklahoma Rock County, WI Chile Idaho Oregon South Korea Walworth County, WI The Czech Republic Illinois Rhode Island Thailand Washington County, WI South Carolina Ecuador lowa Turkey Waukesha County, WI South Dakota India Louisiana Texas Indonesia Maine Canadian Utah Israel Provinces: Marvland Vermont Japan Ouebec Massachusetts Virginia Malaysia Ontario Michigan Mexico Minnesota Washington Alberta Pakistan British Columbia Mississippi Missouri Panama

Tool 7: Sample Active Monitoring System

Each business should have an "active monitoring" system, in which each staff member is asked about their symptoms, exposures and travel history prior to starting each shift. When possible, it is good practice to check staff member temperatures prior to the start of a shift.

Any staff member who has any of the following symptoms should be excluded from work:

- Fever (100.0 F or higher)
- Feeling feverish
- Chills
- Muscle aches

- Cough
- Sore throat
- Feelings of tightness in chest
- Shortness of breath
- Difficulty breathing
- Loss of sense of taste or smell
- Rarely: Abdominal pain
- Rarely: Nausea

Additionally, any staff member who reports they have a household member who is positive for COVID-19 or has symptoms of COVID-19 and is not being tested should be excluded from work.

Finally, any staff member who has traveled to a "viral hotbed", even if it was just through an airport or on a road trip should be excluded from work.

How to Implement

There are a variety of ways you can implement an active monitoring program:

- Have one or two entrances that staff are required to use. Before they enter the building, station designated staff
 members at those entrances to ask the screening questions (and, if applicable, to take temperatures).
- Require all staff members complete an electronic version of the questionnaire on a platform such as Google
 forms and allocate management to look through the answers and identify any staff members who should be
 excluded.

Recommended Questions

We recommend that you include the following questions in your active screening questions:

- Do you currently have any of the following symptoms? [LIST SYMPTOMS]
- Sometimes, people feel "off" before they develop symptoms. Do you feel "different" today than you did yesterday?
- Is there anyone else in your household that has any symptoms?
- In the past 14 days, have you been in contact with someone who was diagnosed with COVID-19?
- In the past 14 days, have you traveled to any of the following places? [SHOW LIST OF LOCATIONS INCLUDING INTERNATIONAL AND DOMESTIC VIRAL HOT BEDS.]

Tool 8: Strategies to Limit Traffic Flow

Business should take steps to limit the amount of traffic in their stores, which should include a variety of strategies to reduce transmission risk for both customers and staff. Some strategy ideas you can consider include:

- One or Two People Per Household: Request that only ONE person per household come to the store; there will be circumstances where a parent must bring their child, but this should be gently discouraged on social media and on communications materials wherever possible.
- **Physical Distancing Visuals:** Place tape on the floor in 6' increments to demonstrate appropriate physical distancing.
- **Limiting the Number of Shoppers:** Businesses should limit the number of shoppers in their store at one time. It is essential that the mechanism of limiting entry does NOT create added problems such as people lining up shoulder to shoulder outside waiting for admission. Methods of achieving this goal might include:
 - o Limit the number of customers to whichever is SMALLER of the following numbers:
 - 5 people per 1,000 square feet of <u>customer-occupiable</u> space
 - 100 customers
 - Hand out a number, one per vehicle, and call numbers one at a time. Numbers could be called out via loudspeaker or displayed on a board.
 - Direct cars to numbered parking spaces and admit one occupant per vehicle in order, one at a time.
 Once the store reaches capacity, allow the next vehicle's occupant to enter only once another customer leaves.
 - Consider having customers sign up for an arrival time. For example, if 90 households could sign up for an entry time of 9 AM 10 AM and another 90 households could sign up for an entry time of 10 11 AM, this may help curb the flow of traffic into the parking lot. You might consider having one section of the parking lot reserved for those who reserved their arrival time online, and a smaller portion of the parking lot for those who did not and who would have to wait longer.

Tool 9: Sample Handwashing Policy

Handwashing is one of the biggest ways to reduce virus transmission. Employers should create a policy regarding more aggressive handwashing for employees that includes specific times when handwashing is expected. A sample handwashing policy is provided below.

[BUSINESS NAME] is fully committed to safeguarding the health and safety of all staff and customers. For this reason, effective immediately, all [BUSINESS] employees will be required to wash hands with soap and warm water frequently. At a minimum, this must include:

- At the beginning of each shift, before interacting with other staff, customers, or business surfaces
- When switching business tasks, such as checking and stocking shelves
- Before and after short breaks and lunch breaks
- After direct physical interaction with customers, staff or vendors
- When hands are visibly soiled

We would suggest that you create a visual version of this type of information and display it in all bathrooms, break rooms, food preparation areas, staff meeting rooms, by time clocks/computers, and in other locations where staff frequent. A sample flyer, which you are welcome to use if helpful, is provided on the next page.

WHEN EMPLOYEES MUST WASH HANDS



WARM WATER + SOAP + 20 SECONDS

Employees must wash hands with soap and warm water for 20 - 30 seconds.

Be sure to clean under nails.



WHEN YOU ARRIVE TO WORK

Employees should wash hands as soon as they arrive to work, before interacting with staff, customers, or business surfaces.



AFTER TOUCHING OTHERS

Employees should try not to physically touch others when possible. But when it is necessary, they should wash their hands immediately afterwards.



SWITCHING TASKS

Employees must wash hands when switching between business tasks, such as between stocking and checking.



BEFORE AND AFTER BREAKS

Employees must wash hands before and after taking breaks and after lunch breaks.



Tool 10: Recommendations for Designated Shopping Hours

Specific members of our community are at higher risk for develop severe complications of illness, including COVID-19. We recommend that retail stores provide designated shopping times that are only for high-risk individuals. Designated hours should ideally include times when cleaning activities have just been completed and items have been recently restocked. Populations that should be considered for such designated shopping hours include individual who are:

- Over the age of 60
- Immune-compromised because of pre-existing health conditions or medications like chemotherapy
- Pregnant or those with a child under the age of 6 months that they cannot leave at home with another caregiver

Tool 11: Recommendations for Employees Considered for Re-assignment

Specific members of our community are at higher risk for develop severe complications of illness, including COVID-19. These include individuals over the age of 60, those with a weakened immune system to other health conditions of medications like chemotherapy or steroids, those who are pregnant, and individuals who live with or care for people who have weakened immune systems.

It is likely that some of your employees are among those who would be at higher risk for developing severe disease. It would be appropriate to allow employees to self-disclose this information <u>if they chose</u>, and to re-allocate those staff members to occupational assignments that do not require as direct contact with others. For example, a checker who would usually be interacting with customers could be re-allocated to stocking shelves.

Tool 12: Considerations for Handling Symptomatic Customers

Employees should be on the lookout for customers or other staff members exhibiting symptoms of COVID 19. As a reminder, symptoms include:

- Fever (100.0 F or higher)
- Feeling feverish
- Chills
- Muscle aches

- Cough
- Sore throat
- Feelings of tightness in chest
- Shortness of breath
- Difficulty breathing
- Loss of sense of taste or smell
- Rarely: Abdominal pain
- Rarely: Nausea

Other Employees: If an employee has a concern that a colleague may be symptomatic, there should be a no-fault policy in which the employee can raise a concern with management. Management should then approach that individual and, in a very respectful and professional manner, inquire about whether that individual has symptoms. Anyone who has symptoms, exposure history or significant travel history per information in Toolkit 1 should be asked to go home without penalty.

Customers: If a customer is identified as definitively having symptoms, the employee or a manager should tactfully ask the customer to leave the premises for the protection of employees and customers. If the customer refuses to comply and the situation escalates, management should enact whatever their normal system is for handling such situations, to include notifying law enforcement.

Tool 13: Sample Disinfection Practice

Cleaning And Disinfecting Your Facility

Everyday Steps, Steps When Someone is Sick, and Considerations for Employers

How to clean and disinfect

Wear disposable gloves to clean and disinfect.

Clean

 Clean surfaces using soap and water. Practice routine cleaning of frequently touched surfaces.



Tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, sinks, etc.



Disinfect

- Clean the area or item with soap and water or another detergent if it is dirty.
 Then, use a household disinfectant.
- Recommend use of <u>EPA-registered</u>
 <u>household disinfectant</u>.
 Follow the instructions on the label
 to ensure safe and effective use of
 the product.

Many products recommend:

- Keeping surface wet for a period of time (see product label)
- Precautions such as wearing gloves and making sure you have good ventilation during use of the product.

 Diluted household bleach solutions may also be used if appropriate for the surface. Check to ensure the product is not past its expiration date. Unexpired household bleach will be effective against coronaviruses when properly diluted.

Follow manufacturer's instructions for application and proper ventilation. Never mix household bleach with ammonia or any other cleanser.

Leave solution on the surface for **at least 1** minute

To make a bleach solution, mix:

 5 tablespoons (1/3rd cup) bleach per gallon of water

OR

- 4 teaspoons bleach per quart of water
- · Alcohol solutions with at least 70% alcohol.

Soft surfaces

For soft surfaces such as carpeted floor, rugs, and drapes

 Clean the surface using soap and water or with cleaners appropriate for use on these surfaces.





 Launder items (if possible) according to the manufacturer's instructions. Use the warmest appropriate water setting and dry items completely.

OR

 Disinfect with an EPA-registered household disinfectant. <u>These</u> <u>disinfectants</u> meet EPA's criteria for use against COVID-19.

Electronics

 Forelectronics, such as tablets, touch screens, keyboards, remote controls, and
 ATM machines




- Consider putting a wipeable cover on electronics.
- Follow manufacturer's instruction for cleaning and disinfecting.
 - If no guidance, use alcohol-basedwipes or sprays containing at least 70% alcohol. Dry surface thoroughly.


Laundry

For clothing, towels, linens and other items

- Wear disposablegloves.
- Wash hands with soap and water as soon as you remove the gloves.
- Do not shake dirty laundry.
- Launder items according to the manufacturer's instructions. Use the warmest appropriate water setting and dry items completely.
- Dirtylaundryfromasickpersoncanbe washed with other people's items.
- Clean and disinfect clothes hampers according to guidance above for surfaces.

Cleaning and disinfecting your building or facility if someone is sick









- Clean and disinfect all areas used by the sick person, such as offices, bathrooms, common areas, shared electronic equipment like tablets, touch screens, keyboards, remote controls, and ATM machines.
- If more than 7 days since the sick person visited or used the facility, additional cleaning and disinfection is not necessary.
 - Continue routing cleaning and disinfection.

When cleaning

 Wear disposable gloves and gowns for all tasks in the cleaning process, including handling trash.




- Additional personal protective equipment (PPE) might be required based on the cleaning/disinfectant products being used and whether there is a risk of splash.
- Gloves and gowns should be removed carefully to avoid contamination of the wearer and the surrounding area.
- Wash your hands often with soap and water for 20 seconds.
 - Always wash immediately after removing gloves and after contact with a sick person.

 Hand sanitizer: If soap and water are not available and hands are not visibly dirty, an alcohol-based hand sanitizer that contains at least 60% alcohol may be used. However, if hands are visibly dirty, always wash hands with soap and water.

Additional key times to wash hands include:

- After blowing one's nose, coughing, or sneezing.
- After using the restroom.
- Before eating or preparing food.
- After contact with animals or pets.
- Before and after providing routine care for another person who needs assistance (e.g., a child).

Additional Considerations for Employers






- Provide instructions on what to do if they develop <u>symptoms</u> within 14 days after their last possible exposure to the virus.
- Develop policies for worker protection and provide training to all cleaning staff on site prior to providing cleaningtasks.
 - Training should include when to use PPE, what PPE is necessary, how to properly don (put on), use, and doff (take off) PPE, and how to properly dispose of PPE.
- Ensure workers are trained on the hazards of the cleaning chemicals used in the workplace in accordance with OSHA's Hazard Communication standard (29 CFR 1910.1200).
- Comply with OSHA's standards on Bloodborne Pathogens (29 CFR 1910 .1030). including proper disposal of regulated waste, and PPE (29 CFR 1 910 .132).

For facilities that house people overnight:

- Follow CDC's guidance for <u>colleges and universities</u>. Work with state and local health officials to determine the best way to isolate people who are sick and if temporary housing is needed.
- For guidance on cleaning and disinfecting a sick person's bedroom/bathroom, review CDC's guidance on disinfecting your home if someone is sick.



Tool 14: Considerations for Use of Cloth Face Coverings by Employees



If you are able to procure or make cloth face coverings for your employees, you should provide them to staff. Face coverings should be washed in warm water with detergent daily and whenever soiled. Employees should be reminded that face coverings protect other people from their germs but does not provide good protection for that employee against other people's germs. Social distance is the best line of defense and should be maintained between both employees and customers. Providing face coverings for customers has a variety of issues and resource concerns. Please keep in mind that children and people with certain conditions maynot be able to wear cloth face coverings safely and should not be universally required to. Resources for DIY cloth face coverings can be found here.